

OUTLAND EDITION

The small, bad basecamp.

FROM	DEPOSIT	LEAD TIME	ORIGIN
\$85,000	\$15,000	3-4 Months	California, USA

Built to slip through tight terrain and thrive where bigger rigs cannot go, the Outland packs serious adventure into a compact footprint. Smart storage, efficient design, and a tough build — perfect for solo overlanders, couples, and quick off-grid escapes.

QUICK SPECS

SIZE CLASS	Compact
STARTING PRICE	\$85,000 USD
DEPOSIT	\$15,000 USD
LEAD TIME	3-4 Months
DRY WEIGHT	~4,000 lbs (Single) +420 lbs (Tandem)
GVWR	6,000 lbs (Single) 7,200 lbs (Tandem)
SUSPENSION RATING	9,000 lbs (Single) 13,000 lbs (Tandem)
BOX DIMENSIONS	15.5 ft box 20.1 ft overall
TRACK WIDTH	~72"
SLEEPING CAPACITY	2-3 People — King + Convertible living area
BATTERY BANK	24v 280AH Lithium (upgradeable to 560AH)
SOLAR	2x 400W rigid panels
INVERTER	2000W 24v Victron Energy
AIR CONDITIONING	24v DC 11,000 BTU custom
FRESH WATER	50 gallons pressurized
GRAY WATER	26 gallons
TEMPERATURE RANGE	-20F to 120F
WHEELS / TIRES	16" Matte Black Method / 33" Mickey Thompson Boss Baja A/T
HITCH	Cruisemaster DO35 — 360° articulation
REAR WINCH	9,000 lbs

FRAME WARRANTY	15 Years
CRAFTSMANSHIP	2 Years
ORIGIN	California, USA

WHY THE OUTLAND EDITION

<p>RREV ISA Suspension</p> <p>Single-axle standard, tandem optional. 9,000–13,000 lbs rated swing arm with air springs, BLE control, ARB shocks.</p>	<p>Patent-Pending GRP Panels</p> <p>Same 5-layer GRP construction as the Titan and Baja in a compact, lighter-weight format. Zero thermal bridging.</p>
<p>RREV HUB Energy</p> <p>280AH 24v lithium, 2x 400W solar, 2000W Victron inverter, DC-DC charging — all integrated and app-controlled.</p>	<p>Go Where Others Can't</p> <p>15.5 ft box, ~4,000 lbs dry. Fits tighter trails, narrower campsites. Towable with a wide range of vehicles.</p>
<p>24v DC Air Conditioning</p> <p>Same custom 11,000 BTU DC AC system as the larger trailers — runs off the battery bank, no generator needed.</p>	<p>Rear Outdoor Kitchen</p> <p>Twin-fold stainless kitchen on HD rear slider — single burner induction, hot/cold water. (Single axle only)</p>

FULL SPECIFICATIONS

SUSPENSION

Single standard | Tandem optional. 9,000 lbs ISA rated.

- HD DOM Tubing — 18,550 N buckling load, 4,300+ lbs per arm
- Air springs with aluminum base, bump stops, ARB Shocks (King optional)
- BLE suspension via app — independent left/right control
- 3 presets: freeway / off-road / hitching
- Auto leveling (optional)
- 24v ARB Twin Compressor
- 3x 16" Matte Black Method Wheels (A356 aluminum T6)
- 3x 33" Mickey Thompson Boss Baja A/T Tires
- Hydraulic Disc Brakes
- Oil bath hubs — near-zero maintenance

STRUCTURE

- Patent Pending 4-layer GRP + 5th aluminum skin with baked paint
- Aluminum extrusions throughout + aluminum angle on interior
- 9 industrial grade Polyamide thermal break molds
- Lightweight 700L Steel chassis — Hot Dip Galvanized, Black Paint

DOORS & WINDOWS

- Aircraft grade aluminum expedition door with peek window and mesh screen
- All windows: integrated blackout + mesh screen
- Heavy duty gas struts — 90° opening in rain and wind

EXTERIOR

- Sensor-enabled staircase — auto-deploy, retractable from inside
- Front and Rear Strands Siberia Light Bars + twin side LEDs
- Cruisemaster DO35 Hitch — 360° articulation
- 9,000 lbs rear winch
- Twin Bike Rack Mounts
- Rear recovery — 11,000 lbs bars + 9-Ton WLL shackles
- GRP rear cowling: AC condenser, deployable ladder, molle panel, spare

ELECTRICAL — RREV HUB

Full energy integration in a compact system.

- 24v 280AH Lithium Battery Bank — upgradeable to 560AH
- Samsung Android Touch Screen Panel (iPad optional)
- 2x 52v | 400W rigid solar panels in series
- Victron 24v MPPT Solar Charger
- 2000W 24v | 120V | 30A Victron Inverter Charger
- 50A DC-DC Charger with Andersen plug at tongue
- Multiple 120V and 12v/24v fast-charge outlets
- Custom RREV Distribution Panel with micro-chip breakers
- RREV HUB app — local + remote (free year 1, then \$65/yr)

WATER SYSTEMS

- 50 Gal freshwater tank — pressurized, optional filtration kit
- 26 Gal gray water tank
- No black tank required

HEATING & COOLING

- iNet Ready Truma Combi Diesel Heater — ducted to alley and bathroom
- Custom 24v DC 11,000 BTU Air Conditioner (R134a)
- Range: -20F to 120F

KITCHEN & SLEEPING

- King Size Bed + Convertible living/bed — 2-3 person capacity
- 230L DC fridge — Night mode, off-road locking
- Twin burner induction cooktop (tandem) or rear outdoor kitchen (single)

OUTDOOR KITCHEN (SINGLE AXLE ONLY)

Tandem option includes induction cooktop inside instead.

- Twin-fold stainless outdoor kitchen on HD rear slider
- Single burner induction cooktop
- Hot and cold water connections

WEIGHTS & DIMENSIONS

- Dry: ~4,000 lbs (Single) | +420 lbs (Tandem)
- Tongue: ~395 lbs | GVWR: 6,000 / 7,200 lbs
- Suspension: 9,000 / 13,000 lbs
- Track: ~72" | Box: 15.5 ft | Overall: 20.1 ft

WARRANTY

- 15-year frame
- 2-year craftsmanship
- All appliance warranties apply

READY TO ORDER?

Visit roamresilient.com/models/outland-edition to configure and place your \$15,000 deposit. Lead time: 3-4 Months.