

TITAN EDITION

The big, bad basecamp.

FROM	DEPOSIT	LEAD TIME	ORIGIN
\$175,000	\$25,000	3-4 Months	California, USA

This beast is designed to turn heads on asphalt and dominate when the road disappears. From precision-built cabinetry and smart storage to expedition-grade structure and off-grid capability — Titan Edition is redefining what a large-size expedition trailer can be.

QUICK SPECS

SIZE CLASS	Large
STARTING PRICE	\$175,000 USD
DEPOSIT	\$25,000 USD
LEAD TIME	3-4 Months
DRY WEIGHT (TANDEM)	~6,300 lbs
GVWR	10,000 lbs
SUSPENSION RATING	14,500 lbs (Tandem)
BOX DIMENSIONS	20.8 ft box 27 ft overall 7.3 ft wide
TRACK WIDTH	72"
SLEEPING CAPACITY	4 People — King + U-sofa to bed
BATTERY BANK	24v 400AH Lithium (upgradeable to 800AH)
SOLAR	3x 450W rigid panels (upgradeable to 4x)
INVERTER	3000W 24v Victron Energy
AIR CONDITIONING	24v DC 11,000 BTU custom
FRESH WATER	65 + 16 + 10 gallon stainless tanks
GRAY WATER	27 gallon
TEMPERATURE RANGE	-30F to 120F
WHEELS / TIRES	16" Matte Black Method / 33" Mickey Thompson Boss Baja A/T
BRAKES	Hydraulic Disc — 1,600 psi Hydrastar
HITCH	Cruisemaster DO45+ — 10,000 lbs, 360° articulation

REAR WINCH	13,500 lbs
FRAME WARRANTY	15 Years
CRAFTSMANSHIP	2 Years
ORIGIN	California, USA

WHY THE TITAN EDITION

<p>RREV ISA Suspension</p> <p>In-house engineered 14,500 lbs (tandem) Independent Suspension Swing Arm. Air springs, BLE app control, ARB shocks, hydraulic disc brakes.</p>	<p>Patent-Pending GRP Panels</p> <p>5-layer walls at 2.44" thick, 3" floor and roof. 9 polyamide thermal break molds. Zero thermal bridging from -30F to 120F.</p>
<p>RREV HUB Energy System</p> <p>Proprietary integration of solar, shore power, DC-DC charging, Victron inverter, battery, lighting, and climate – one app.</p>	<p>24v DC Air Conditioning</p> <p>Custom 11,000 BTU DC compressor AC runs off the battery bank. No generator required for comfort in extreme heat.</p>
<p>Full Off-Grid Water</p> <p>91 gallons total: 3 stainless steel baffled tanks with Acuva UV filtration. Truma Combi diesel heater for hot water and cabin heat.</p>	<p>4-Person Expedition Capacity</p> <p>King bed, convertible U-sofa, blackout windows. Ducted diesel heating to bedroom, kitchen, and bathroom.</p>

FULL SPECIFICATIONS

SUSPENSION

Heavy Duty 13,000+ lbs (Tandem) RREV ISA Suspension. Triple optional.

- HD DOM Tubing – 18,550 N buckling load, 4,300+ lbs capacity per arm
- 4 Air springs with aluminum base, bump stops, ARB Shocks (King optional)
- BLE air suspension via app – independent all-4-wheel control
- 3 presets: freeway / off-road / hitching
- Full-time auto leveling with load sharing (optional)
- 24v ARB Twin Compressor
- 5x Solid A356 aluminum T6 16" Matte Black Method Wheels
- 5x 33" Mickey Thompson Boss Baja A/T Tires
- Hydraulic Disc Brakes – 1,600 psi Hydrastar actuator
- Oil bath hubs and bearings – near-zero maintenance
- 10,000 lbs rated webbed limit strap on each arm

STRUCTURE

Walls 2.44" | Floor & Roof 3" Thick

- Patent Pending 4-layer GRP + 5th aluminum skin with baked paint
- Aluminum extrusions throughout + aluminum angle on interior
- 9 industrial grade Polyamide thermal break molds – zero thermal bridging
- 700L Steel chassis – Hot Dip Galvanized, Black Paint

DOORS, WINDOWS & SAFARI HATCHES

- Aircraft grade aluminum expedition door and windows — weatherproof seals
- Expedition Safari Hatch with integrated windows over the dining area
- 7 windows — integrated blackout + mesh screen on all
- Heavy duty gas struts — 90° opening in rain and wind
- Rain fly integration — no dripping when windows open

EXTERIOR

- Sensor-enabled staircase — auto-deploys on door open, retractable from inside
- Front and Rear Light Bars + twin passenger/driver LEDs
- Sliding outdoor kitchen (passenger side) — induction, sink, prep, 2x 120v outlets
- Front ~39" deep storage box with 3 heavy duty locking doors
- Aluminum top roof rails + front slope rain collection pipes
- 7,000 lb swivel tongue jack + 4 corner stabilizer steadies
- 13,500 lbs rear winch
- Twin Bike Rack Mounts
- Rear recovery — 11,000 lbs rated bars + 9-Ton WLL shackles
- GRP rear cowling: 24v AC condenser, deployable ladder, molle panel, 33" spare

ELECTRICAL — RREV HUB

Proprietary system integrating all energy sources, loads, and monitoring.

- 24v 400AH Lithium Battery Bank with smart BMS — upgradeable to 800AH
- Samsung Android Touch Screen Panel (iPad optional)
- 3x 52v | 450W solar panels in series — upgradeable to 4x
- Victron Energy 2400W MPPT Solar Charger
- 3000W 24v | 120V | 70A Victron Energy Inverter Charger
- 50A DC-DC Charger with Andersen plug at tongue
- 50A Andersen port for additional portable solar
- Multiple 120V and 12v/24v USB fast-charge outlets throughout
- Blue Sea Systems 30A AC MAIN with surge protection
- Victron 1000A Lynx distributor with Mega Fuses
- RREV HUB app: iOS, Android, web — remote access free 2 yrs, then \$65/yr

WATER SYSTEMS

- 65 Gal stainless steel general tank — baffled, marine tube pickup
- 16 Gal stainless buffer tank — baffled, independent pump
- 10 Gal stainless drinking tank — Acuva UV filtration
- Truma Combi Diesel Water Heater
- 27 Gal gray water tank
- All plumbing and tanks (except gray) interior — freeze proof to -30F

HEATING & COOLING

- iNet Ready Truma Combi Diesel Heater — ducted to bed, fridge zone, bathroom
- Custom 24v DC 11,000 BTU Air Conditioner (R134a)
- Operating range: -30F to 120F

KITCHEN & SLEEPING

- King Size Bed + Convertible U-Sofa to Bed — 4 person capacity
- 230L DC fridge — 5 temp settings, Night mode, off-road locking
- Twin burner induction cooktop — 9 settings, safe cooking mode
- Furrion microwave (optional) + electric oven (optional)

WEIGHTS & DIMENSIONS

- Dry Weight: ~6,300 lbs (Tandem) | +450 lbs (Triple)
- Tongue Weight: ~630 lbs (adjustable with air suspension)
- GVWR: 10,000 lbs
- Suspension: 14,500 lbs (Tandem) | 17,000 lbs (Triple)
- Track Width: 72" | Box: 20.8 ft | Overall: 27 ft | Width: 7.3 ft

WARRANTY

- 15-year frame warranty
- 2-year craftsmanship warranty
- All appliance manufacturer warranties apply

READY TO ORDER?

Visit roamresilient.com/models/titan-edition to configure and place your \$25,000 deposit. Lead time: 3-4 Months.